



# Efficient horizontal removal

The Aqua Cutter 710H is a hydrodemolition robot for all kinds of horizontal operations. It's a powerful ally in concrete slab areas such as roads, bridges, parking garages and runways. When you're in control it will do just as you command. Basically, it will provide all the efficiency and reliability you need whenever you start the engine.

Aquajet's Aqua Cutter 710H has a smart design and is specially geared for efficient horizontal operations. The front power head can move and tilt sideways to pass obstacles, and compensate for inclined surfaces. To ensure complete removal of concrete in corners, the front power head has removable side covers.

# Have it your way

The front power head of the robot can be hydraulically tilted 90° upwards for easy inspection of your working area. If you want even more flexibility you can upgrade the 710H model to a 710V. In default mode the robot has a powerful diesel engine. Hybrid drive with an electric motor is optional.

# Features and benefits

### Evolution 2.0 control system (Aqua Cutter 410/710)

The Aqua Cutter Evolution 2.0 control system features highly computerized robotic management for all advanced operations.

### Interactive graphic display

The display is interactive and uses clear and simple symbols combined with multi language text, making it very easy to program the most advanced operations.

## Speed zones/3D zones

The use of speed zones enhances the possibility of even more accurate removal, and removal of different depths in the same overpass. These zones can also be used to control the lance angle and oscillation. The 3D zones works like our patented shape function, which means that it can cut shapes in depth. Perfect for removal of complex structures and uneven concrete, with the ability to create geometrical shapes.

### Geometrical shapes

All robots with the Evolution control system have the ability to cut geometrical shapes, such as circles, triangles, squares and rhomboids. You can program your shape of choice on the display or draw on the surface and use the robot's teach-in system. Speed zones and 3D zones can be combined with the geometrical shapes function. For example, you can create a circle with an inclined bottom or a rhomboid on several levels.

## Smart lance control

The pattern of the oscillation can be changed in different steps and wave-lengths. You can also set a fixed wavelength and program for multiple oscillation patterns, lance angles and removal depths in the same overpass. All movements are precise and smooth. In other words – better lance control and increased lifetime of mechanical parts.

# EDS - Equal Distance System (410/710)

All of our Aqua Cutter robots feature our patented EDS system, short for Equal Distance System. The EDS keeps a preset distance from the nozzle to the concrete surface, regardless of the attack angle of the water jet. This is a major advantage. Standard systems without EDS make the water jet lose a lot of power before it hits the concrete.

# Nozzles (410/710)

At Aquajet we use unique ceramic nozzles that are specially designed for highly demanding operations and all kinds of Hydrodemo-

lition applications. The lifespan of an Aquajet ceramic nozzle is up to 300-350 hours, depending on the water quality, almost ten times longer than traditional steel nozzles. In terms of efficiency, our nozzles are unbeatable.

### **Super lance** (410/710)

One single system, one standard, all the way up to 3000 bar. Same threads, same seals, and with multiple fittings for different hoses.

### ISC - intelligent sensing control (410/710)

Intelligent Sensing Control, ISC, uses intelligent software operating via closed loop systems that continuously memorizes the movements of the water jet. It also monitors the process from the operator's settings. The system is standard on all Aqua Cutter robots as well as the Ergo unit, used for controlling the Aqua Spine. The ISC is easy to program and enables trouble free basic operations. Basically it gives you less downtime and no cables to cope with.

## **Robot inside Ecosilence** (410/710)

All our Aqua Cutters fit inside our 20 ft high-pressure pump units, the Ecosilence. All in one package ready to go to the worksite and no need for an extra trailer. This is a key point for quick set-up on the worksite. The robot is also protected from unauthorized intrusion during the night.

# Oscillation system (410/710)

The stroke can be changed in a minute to adapt to the scope of the work. A shallow cut requires a longer stroke and a deep cut needs a short stroke. This allows you to get a higher removal rate and better cut results in all situations.

# Radio remote control (410/710)

A radio remote control allows you to operate the Aqua Cutter robot from a safe distance, wireless or with a hard wire. That's up to you and the operation at hand.









# **Facts**

Total weight 2000 kg (4409 lb) Length 2,57-2,82 m (8,4-9,2 ft) Total width 2 m (6,6 ft) Track width 1,03-1,63 m (3,4-5,4 ft)

Min. height 1,3 m (4,2 ft) Lance angle ± 45°

Working width Working width extended 0-4,45 m (0-14,6 ft) Drive source

0-2,45 m (0-8,0 ft) Diesel engine

18kW / 1600-2600 rpm (electric optional)









# **Easy service**

The innovative design provides unrivalled ease of access for all maintenance jobs. This means less downtime for maintenance and more time for actual work. The unique gullwing hood and the foldable back cover of our Aqua Cutter 710 robot offer total access for both daily maintenance, such as checking oil levels, and regular service, such as oil and filter changes.



