

EXTENDER
Hydrodemolition accessories

**Adaptable
reach**



AQUAJET[®]



EXTENDER

Hydrodemolition accessories

Adaptable reach





The Extender, a flexible addition to the Aqua Cutter 750, simplifies hydrodemolition in various scenarios – overhead, below grade and within constrained spaces. Whether dealing with sloped roofs, varying roof heights, below-grade tasks like ditches or canals, or working between beams on structures like bridges and parking garages, the Extender is your solution for versatile hydrodemolition operations. What's more, it's a simple adaptation for the robot with no need for any additional hydraulics.

Designed especially for overhead hydrodemolition operations in spaces with sloped or varying-height roofs, the Extender, once attached to the robot, enables it to execute hydrodemolition work within height differences of up to 1.2 m.

This adaptable accessory is also essential for below-grade operations, effortlessly executing hydrodemolition in areas like ditches or canals, where the concrete surface lies up to 1.0 meter below grade level.

Featuring full side shift capability, the Extender also enables side operations between beams. By attaching the Aqua Cutter 750 roller beam to the Extender, along with the smaller protection cover over the power head, the capability for sideways applications is further enhanced. This is particularly beneficial in confined or tight spaces.

Whether below grade, overhead, or sideways, the Extender sets new standards for precision and adaptability in hydrodemolition operations.



EXTENDER

Facts

Facts

Extension length	1.0 m (3.3')
Total weight	40.3 kg (89 lb)
Max reaction force	2000 N
Compatible with	Aqua Cutter 750

Note! Side work with the Aqua Cutter 750 roller beam only possible with the smaller protection cover over the power head.

